



Side Entry Wire Saddles, Plug-Mount

Material	Nylon 66 (UL)
Flame class	94V-2
Color	Natural
Unit	mm




Part No	A	B	C	D	E	Package
2805 2816	12.0	8.8	11.5	8.5	3.5	1000
2805 2817	9.2	6.8	7.6	5.0	3.0	2000



CHASSIS ØE
THICKNESS 1.0~1.6




Part No	A	Package
2805 2832	3.4	1000
2805 2833	2.4	




CHASSIS Ø3.0
THICKNESS 1.6

Part No	A	B	Chassis thickness
2805 2848	3.2	5.20	1.6 mm
2805 2849	2.8	4.15	1.0 mm



CHASSIS Ø3.5



Part No	A	B	Chassis thickness
2805 2864	1.1	9.3	1.0 mm
2805 2865	4.1	12.3	4.0 mm



CHASSIS Ø3.5


Side Entry Wire Saddles, Plug-Mount

Material	Nylon 66 (UL)
Flame class	94V-2
Color	Natural
Unit	mm




Part No	Package
2805 2965	2000

P.C.B Ø1.75
THICKNESS 1.6




Part No	Package
2805 2980	2000

P.C.B Ø2.8
THICKNESS 2.0



Part No	A	B	Package
2805 2995	12.0	5.0	1000
2805 2996	17.0	10.0	500
2805 2997	26.0	19.0	
2805 2998	34.0	27.0	


CHASSIS Ø4.8-Ø5.0
THICKNESS 0.8-2.0




Part No	A	B	Package
2805 3013	12.0	5.0	1000
2805 3014	17.0	10.0	500
2805 3015	26.0	19.0	

THICKNESS 1.0

Part No	A	B	C	D	E	F	Package
2805 3030	19.7	15.7	11.3	18.2	4.1	5.4	500
2805 3031	15.0	11.0	10.9	17.0	3.9	5.5	




CHASSIS Ø4.8-Ø5.0
THICKNESS 1.2-2.1




Part No	Package
2805 3035	2000

CHASSIS Ø4.8
THICKNESS 1.0-2.5

Part No	A	B	Package
2805 3046	4.9	13	1000
2805 3047	27.2	35	



CHASSIS Ø7.9
THICKNESS 6.4





Part No	Package
2808 2538	1000

CHASSIS Ø3.5
THICKNESS 1.5

Side Entry Wire Saddles, Plug-Mount


Material	Nylon 66 (UL)
Flame class	94V-2
Unit	mm



CHASSIS Ø5
THICKNESS 0.8~1.6

Part No	Package
2805 3147	1000


Color: Blue



CHASSIS Ø4.8~Ø5.0
THICKNESS 1.2~2.1


Part No	Package
2805 3162	1000

Color: Black



Part No	Package
2805 3177	100


Color: Black



CHASSIS Ø4.8~Ø5.0
THICKNESS 0.8~2.0

Part No	Package
2805 3192	250


Color: Natural



CHASSIS Ø4.8
THICKNESS 0.8~2.0

Part No	Package
2805 3207	250


Color: Black



CHASSIS Ø6.0
THICKNESS 2.0

Part No	Package
2805 3222	1000

Color: Natural




CHASSIS Ø6.0
THICKNESS 2.0

Part No	A	B	Package
2805 3237	6.2	9.2	1000
2805 3238	8.2	11.2	500
2805 3239	10.2	13.2	


Color: Natural

Side Entry Wire Saddles, Plug-Mount

Material	Nylon 66 (UL)
Flame class	94V-2
Color	Natural
Unit	mm




Part No	A	B	Package
2805 3339	10.3	18.0	500
2805 3340	19.6	27.2	



CHASSIS Ø4.8~Ø5.0
THICKNESS 0.5~2.0

Part No	A	B	C	Package
2805 3355	16.4	12.0	19.0	500
2805 3356	14.4	10.4	14.0	



CHASSIS Ø4.8
THICKNESS 0.5~2.0